

Life Sciences Center of Vilnius University
Core Facilities and Instrumentation

2021-02-09

	Instrumentation/method/resource	Description	Contact scientist
1.	MICROSCOPY/IMAGING		
1.1.	Cryo-Transmission Electron Microscopy	<p>200 kV Cryo-Transmission Electron Microscope Glacios™ Cryo-TEM for Life Sciences with a Direct Electron Detector and Volta Phase Plate (ThermoFisher Scientific)</p> <p>Vitrobot (ThermoFisher Scientific) for automatic vitrification of samples for single particle analysis or cryo-tomography research applications.</p> <p>https://assets.thermofisher.com/TFS-Assets/MSD/Technical-Notes/Glacios-datasheet.pdf</p> <p>https://www.fei.com/products/vitrobot/#gsc.tab=0</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Giedrė Tamulaitienė +370 5 223 4357 giedre.tamulaitiene@bti.vu.lt</p>
1.2.	Transmission electron microscope	<p>FEI MORGAGNI 268</p> <p>https://dresden-technologieportal.de/en/equipment/view/id/1243</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Justas Lazutka, +370 5 223 9435 justas.lazutka@bti.vu.lt</p> <p>Aliona Avižinienė +370 5 223 9435 aliona.aviziniene@bti.vu.lt</p>
1.3.	High-Speed Atomic force microscopy	<p>High speed AFM system – SS-NEX (RIBM, Japan): two available scanners: i) standard scanner for high-speed imaging such as enzyme reactions and structural changes of protein.</p>	<p>Dr. Marija Jankunec +370 5 223 4400 marija.jankunec@gmc.vu.lt</p>

		<p>Scan speed – 50 ms/frame (20 frames/sec), maximum scan range – XY: 0.7 μm x 0.7 μm, Z: 0.4 μm. i) Wide scanner for large samples with a high scanning rate. Scan speed – 1 s/frame (1 frame/sec), maximum scan range – XY: 4 μm x 4 μm, Z: 0.7 μm.</p> <p>https://www.ribm.co.jp/en/product/sub_ssnext_en</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	
1.4.	Atomic force microscopy	<p>Conventional AFM system – Dimension Icon (Bruker, USA) major technical characteristics: Scanner parameters: maximum scanning (XY) area 90 μm, Z range 10 μm. Available measurement methods: tapping mode, contact mode. Imaging: phase imaging, lateral force microscopy, force modulating, electrical field microscopy, magnetic force microscopy, piezo response force microscopy.</p> <p>Major areas of application: Surface analysis of solids, biomolecules, cell cultures in water or air. Single molecule or cell manipulation for their properties investigation</p> <p>https://www.bruker.com/products/surface-and-dimensional-analysis/atomic-force-microscopes/dimension-icon/overview.html</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Marija Jankunec +370 5 223 4400 marija.jankunec@gmc.vu.lt</p>
1.5.	OLYMPUS IX70 cell imaging platform	<p>Light, fluorescence and phase contrast microscopy, 5 objectives, 4 fluorescence channels</p> <p>https://www.fluorescencemicroscopes.com/olympus-ix70-inverted-fluorescence-research-microscope/ https://www.chroma.com/products/sets/61000v2-dapi-fitc-tritc-or-cy3 https://www.tengrant.com/upload/file/20160304/14570564047777021.pdf</p>	<p>Indrė Dalgėdienė +370 5 2239405 indre.dalgedienne@bti.vu.lt</p>

		<p>https://www.tengrant.com/upload/file/20160304/14570564038766890.pdf</p> <p>Camera: EXI-AQA-R-F-M-14-C (monochrome)</p> <p>http://www.adept.net.au/cameras/qimaging/exiaqua_mono_colour.shtml</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	
1.6.	Automated cell imaging platform EVOS FL Auto	<p>Light, fluorescence and phase contrast microscopy, 5 objectives, 3 fluorescence channels, onstage incubator for live cell imaging in culture dishes.</p> <p>https://assets.fishersci.com/TFS-Assets/LSG/manuals/evos_fl_auto_man.pdf</p> <p>Available cubes:</p> <p>https://www.thermofisher.com/order/catalog/product/AMEP4650#/AMEP4650</p> <p>https://www.thermofisher.com/order/catalog/product/AMEP4651#/AMEP4651</p> <p>https://www.thermofisher.com/order/catalog/product/AMEP4652#/AMEP4652</p> <p>https://www.thermofisher.com/order/catalog/product/AMEP4655#/AMEP4655</p> <p>https://www.thermofisher.com/order/catalog/product/AMEP4656#/AMEP4656</p> <p>https://www.thermofisher.com/order/catalog/product/AMEP4670#/AMEP4670</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Indrė Dalgėdienė +370 5 2239405 indre.dalgediene@bti.vu.lt</p> <p>Asta Lučiūnaitė asta.luciunaite@bti.vu.lt</p>

1.7.	Fast scanning laser microscope system Carl Zeiss (live cell imaging)	<p>LSM710/Duo and optical tweezer E3300 Elliott Scientific, UK for live cell fluorescent imaging and Nikon C1 microscope for confocal cell analysis. Flow cytometer Guava with 3 lasers and 6 detectors for individual cell fluorescent and shape analysis.</p> <p>https://www.zeiss.com/microscopy/int/products/imaging-systems/celldiscoverer-7-automated-microscope-for-live-cell-imaging.html</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Mindaugas Valius +370 5 223 4410 mindaugas.valius@bchi.vu.lt</p> <p>Dr. Marija Ger +370 5 223 4411 marija.ger@bchi.vu.lt</p>
1.8.	LEICA Ultra-high resolution confocal microscopy	<p>Super-resolution imaging facility has recently acquired a Leica TCS SP8 confocal scanning microscope, equipped with motorized xy-stage 12 kHz tandem scanner, field of view scanner, gated HyD™ detection system, white light laser as well as LIGHTNING, FALCON and STED 3x modules. The white light laser source (470–670 nm) perfectly matches the excitation wavelength of any fluorophore and enables simultaneous use of up to eight excitation lines. By tuning both excitation and AOTF-based detection, complete two dimensional excitation-emission spectra can be acquired. Integrated LightGate technology removes unwanted fluorescence by adjusting the time gate for data collection. The SP8 LIGHTNING module combines the benefit of super-resolution (up to 120 nm) and simultaneous high-speed imaging for multiple fluorescent markers with low photo toxicity. SP8 FALCON module is a truly integrated solution for fluorescence lifetime imaging (FLIM) throughout the SP8 platform. It enables imaging fast molecular interactions via FLIM-FRET and the use of fluorescent biosensors with minimal training. The fully integrated stimulated emission depletion STED 3X system with 775 nm pulsed STED laser provides fast, intuitive and purely optical access to structural details beyond the light diffraction limit (up to 30 nm).</p> <p>https://www.leica-microsystems.com/products/confocal-microscopes/p/leica-tcs-sp8-x/</p>	<p>Dr. Urtė Neniškytė +370 5 223 4437 urte.neniskyte@gf.vu.lt</p>

		https://www.leica-microsystems.com/products/confocal-microscopes/p/leica-tcs-sp8/ https://www.leica-microsystems.com/products/confocal-microscopes/p/leica-tcs-sp8-sted-one/ https://www.leica-microsystems.com/products/confocal-microscopes/p/falcon/	
		On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no	
2.	STRUCTURAL BIOCHEMISTRY		
2.1.	Protein Crystallisation Unit	Two crystallisation robots: Oryx8 (Douglas Instruments) and Gryphon (Rigaku); Screen making system Alchemist HT (Rigaku); Two ultraviolet and visible light crystal imaging and protein crystal monitoring systems Minstrel DT UV (Rigaku) (RT and +4°C). https://www.douglas.co.uk/oryx8.htm https://www.artrobbins.com/gryphon http://www.speciation.net/Database/Instruments/Rigaku-Corporation/Alchemist-II-automated-liquid-formulation-system-;i2655 https://www.youtube.com/watch?v=lvcgVdsPs00	Dr. Giedrė Tamulaitienė +370 5 223 4357 giedre.tamulaitiene@bti.vu.lt
2.2.	X-ray diffractometer	Rigaku X-ray diffractometer MicroMax-007HF with detectors Pilatus 3R 200K-A (Dectris) and Raxis IV++ (Rigaku) https://www.rigaku.com/products/sources/mm007 https://www.dectris.com/products/pilatus3/pilatus3-r-for-laboratory/pilatus3-r-200k-a/	Dr. Saulius Gražulis +370 5 223 4353 saulius.grazulis@bti.vu.lt

		https://www.esrf.eu/UsersAndScience/Experiments/MX/About_our_beamlines/ID23-1/TechnicalOverview/ExperimentOverview/cryostream (Oxford Cryostream 700 or SR beamlines) https://www.oxcryo.com/product/cryostream-800 (newer model with similar functionality) On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes	
3.	PROTEIN PRODUCTION AND PURIFICATION		
3.1.	Plate reader Varioskan Flash (Thermo Scientific)	Plate reader Varioskan Flash (Thermo Scientific) includes 535 nm emission filter, one dispenser and luminescence measurement module. The instrument incubates up to 45 C temperature. https://assets.thermofisher.com/TFS-Assets/LCD/manuals/D01523~.pdf On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes	Dr. Arnoldas Kaunietis +370 5 239 8207 arnoldas.kaunietis@gmc.vu.lt
3.2.	Beckman Optima™ L-90K Ultracentrifuge	A wide variety of rotors: Ti 50, Ti 75, Ti 70.1, Ti 60, Sw 50.1, Sw 41, Sw 28 https://www.beckmancoulter.com/wsrportal/techdocs?docname=LXP-IM-7.. On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes	Aliona Avižinienė, +370 5 223 9435 aliona.aviziniene@bti.vu.lt Dr. Milda Norkienė, +370 5 223 9434 milda.norkiene@bti.vu.lt Dr. Justas Lazutka +370 5 223 9435 justas.lazutka@bti.vu.lt

3.3.	Bioreactor system	<p>Bioreactor system Labfors 3 (Infors HT). It includes two 2 L vessels, gas analyser, pH meter and dissolved oxygen meter, antifoaming electrode, OD meter.</p> <p>https://conquerscientific.com/cq-product/infors-ht-labfors-3-fermenter-bioreactor/</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Arnoldas Kaunietis +370 5 239 8207 arnoldas.kaunietis@gmc.vu.lt</p>
3.4.	Mass spectrometry system	<p>Mass spectrometry system, LCMS-8050(010835170004), UHPLC Nexera series: CBM-20A (L20235277176), LC-30AD (L20555272102), LC-30AD (L20555272105), DGU-20ASR (L20705263742), DGU-20A3R (L20695261566), SIL-30AC (L20565271006), CTO-20AC (L20215276229), SPD-M30A (L20775170033), Labsolutions Program setup, Genius 105 (A14-12-488)</p> <p>https://www.shimadzu.com/an/products/liquid-chromatograph-mass-spectrometry/triple-quadrupole-lc-msms/lcms-8050/index.html https://www.shimadzu.eu/specifications</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Alius Ulevičius +370 5 239 8299 alius.ulevicius@gf.vu.lt</p>
3.5.	Isothermal Titration Calorimeter	<p>The ITC instrument is used to determine interactions of purified proteins with low-molecular-weight compounds, ligands, cofactors, etc.</p> <p>It is widely used in drug discovery and design and determination of protein interaction thermodynamics.</p> <p>https://www.malvernpanalytical.com/en/products/technology/microcalorimetry/isothermal-titration-calorimetry/</p> <p>On-site training available: yes</p>	<p>Prof. Daumantas Matulis +370 5 223 4364 daumantas.matulis@bti.vu.lt</p>

		<p>Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	
3.6.	Protein chromatography system	<p>Protein chromatography system „BioLogic DuoFlow“ (Bio-Rad). It includes UV/Vis detector for measurements of absorption at 190–740 nm range, pH meter, conductometer, automatic fraction collector, mixer with two pumps (each 40 mL/min.), ion exchange and hydrophobic interaction columns.</p> <p>https://www.bio-rad.com/webroot/web/pdf/lsr/literature/4006229.pdf</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Arnoldas Kaunietis +370 5 239 8207 arnoldas.kaunietis@gmc.vu.lt</p>
3.7.	Bioreactor Sartorius C plus and CEPA Z41 continuous flow laboratory centrifuge	<p>Culture vessel with operating volume of 30 L</p> <p>https://www.sartorius.com/download/9612/10/broch-biostat-cplus-sbi1505-e-data.pdf https://www.dia-m.ru/upload/iblock/903/597-cepa.pdf</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Evaldas Čiplys +370 5 223 9432 evaldas.ciplys@bti.vu.lt</p>
3.8.	XYZ3060™ DISPENSE PLATFORM	<p>The XYZ3060 system is a production tool for rapid test development and manufacturing. The XYZ3060 is a flexible XYZ motion/dispense system, with a motorized Z-axis and fully programmable motion and dispense parameters. The XYZ3060 is designed for simultaneous dispensing or individually dispensing lines and dots. The system is supplemented with the programmable strip cutter (CM5000™) and laminator (LM5000).</p> <p>https://www.biodot.com/portfolio/xyz3060-dispense-platform/ https://www.biodot.com/portfolio/cm5000-guillotine-cutter/ https://www.biodot.com/portfolio/lm5000-clamshell-laminator/</p>	<p>Dr. Justas Lazutka +370 5 223 9435 justas.lazutka@bti.vu.lt</p> <p>Dr. Paulius L. Tamošiūnas +370 5 223 9435 paulius.tamosiunas@bti.vu.lt</p>

		<p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	
3.9.	Microbial biotechnology unit	<p>Shimazu Prominence U(H)PLC system with MS, laboratory fermenter R'ALF Plus Solo, Bioengineering, liquid chromatography system for protein purification ÄKTApurifier, Innova 44 incubator shakers, etc.</p> <p>https://www.ssi.shimadzu.com/products/liquid-chromatography/prominence-hplc-specifications.html</p> <p>https://www.cytivalifesciences.co.jp/catalog/pdf/18111948af_aktapurifier.pdf</p> <p>https://www.eppendorf.com/product-media/doc/en/140652_Operating-Manual/New-Brunswick_Shakers_Operating-manual_Innova-44_44R.pdf</p> <p>On-site training available: yes/no Qualified users only are permitted to operate this equipment: yes/no Personal user assistant available: yes/no</p>	<p>Dr. Rolandas Meškys +370 5 223 4386 rolandas.meskys@bchi.vu.lt</p>
4.	DNA PURIFICATION & ANALYSIS		
4.1.	Automated DNA and RNA purification equipment	<p>Automated DNA purification system (Nordiag Arrow), automated DNA/RNA purification system (Bioneer ExiPrep 16), Tecan Freedom EVO 100 liquid handling robot, Nanodrop 2000 Spectrophotometer</p> <p>https://www.isogen-lifescience.com/product/8.31.01/ https://us.bioneer.com/pdf/brochure/2011/brochure-ExiPrep%2016Plus.pdf https://ww3.tecan.com/platform/content/element/3150/BR_Freedom_EVVO_392956_V6.2.pdf https://www.thermofisher.com/order/catalog/product/ND-2000#/ND-2000</p> <p>On-site training available: yes</p>	<p>Dr. Julija Armalytė +370 5 239 8230 julija.armalyte@gf.vu.lt</p>

		<p>Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	
4.2.	High resolution image analyzers	<p>Fuji FLA-5100 fluorescent and radioisotope image analyser (473 and 635 nm wavelength lasers), Bio Rad Gel Doc XR+ CCD high-resolution, high-sensitivity detection with UV and white light illuminators.</p> <p>http://www.raytek.co.uk/Brochures/FLA5100%20UK-IE%20Brochure.pdf</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Julija Armalytė, +370 5 239 8230 julija.armalyte@gf.vu.lt</p> <p>Dr. Algirdas Mikalkėnas +370 5 239 8241 algirdas.mikalkenas@gf.vu.lt</p>
4.3.	Pulsed Field Electrophoresis system	<p>Bio Rad CHEF MAPPER XA pulsed field electrophoresis system (resolution from 100 bp to 10 Mb)</p> <p>https://www.bio-rad.com/en-lt/product/chef-mapper-xa-system</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Julija Armalytė +370 5 239 8230 julija.armalyte@gf.vu.lt</p>
5.	BIOSPECTROSCOPY / BIOSENSORS / BIOELECTROCHEMISTRY		
5.1.	Raman microscope/vibrational spectroscopy	<p>LabRAM HR2/399 (HORIBA Jobin Yvon) Raman microscopy unit with excitation wavelengths (and power at a sample, mW) of 229, 266, 405 (2), 475 (3,8), 532 (22), 633, and 785 (22) nm equipped with 600, 1800, and 2400 lines/mm gratings and 10x, 50x, and 100x objective lenses. Raman spectra can be collected from solids, powders, and liquid phases in 180° scattering geometry in 100–3600 cm⁻¹ spectral range.</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Martynas Talaikis +370 5 223 4400 martynas.talaikis@gmc.vu.lt</p>

5.2.	Fast kinetics spectroscopy unit	<p>Stopped-flow spectrometer SX20, Applied Photophysics; laser flash photolysis spectrometer LKS60, Applied Photophysics</p> <p>https://www.photophysics.com/systems/stopped-flow-spectrometry/sx20-stopped-flow/system-information/?gclid=EAlaIqobChMly-m1vf-a7QIVAyF7Ch0PGw5VEAAYASAAEgIQWfD_BwE</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Habil. dr. Narimantas Čėnas +370 5 223 4392 narimantas.cenas@bchi.vu.lt</p>
5.3.	Fluorescence spectrometer	<p>Varian Cary Eclipse with thermostated 4-cuvette holder.</p> <p>https://www.agilent.com/cs/library/brochures/Cary-Eclipse_FLR-brochure.pdf</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Vytautas Smirnovas +370 5 223 9420 vytautas.smirnovas@bti.vu.lt</p> <p>Mantas Źiaunys mantas.ziaunys@gmc.vu.lt</p>
5.4.	Plate-reader	<p>BMG Labtech Clariostar Plus with long-term shaking, Bottom optic, Incubation up to 65°C, and Ultra-fast UV/Vis Absorbance Spectrometer upgrades.</p> <p>https://www.bmglabtech.com/clariostar-plus/</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Vytautas Smirnovas +370 5 223 9420 vytautas.smirnovas@bti.vu.lt</p> <p>Mantas Źiaunys mantas.ziaunys@gmc.vu.lt</p>
5.5.	Analytic/preparative HPLC	<p>Shimadzu UFLC, include two low volume (<10ml/min) pumps and one high volume (<150 ml/min) 4-channel pump, fraction collector, autosampler, column oven, UV/Vis and DAD detectors.</p> <p>https://www.ssi.shimadzu.com/sites/ssi.shimadzu.com/files/Products/literature/hplc/C196-E070C.pdf</p>	<p>Dr. Vytautas Smirnovas +370 5 223 9420 vytautas.smirnovas@bti.vu.lt</p> <p>Andrius Sakalauskas andrius.sakalauskas@gmc.vu.lt</p>

		<p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	
5.6.	Electrochemistry including Electrochemical Impedance Spectroscopy	<p>Multiple electrochemical workstations including Zahner model Zennium Pro, a modular electrochemical workstation including a potentiostat / galvanostat and a frequency response analyzer (FRA) unit with a frequency range up to 8 MHz at ± 3 A and at a compliance voltage of up to ± 28 V. With an input impedance of more than $10\text{ T}\Omega$ 5 pF. Also, an extension module RMUX is available, allowing up to 16 separate measuring channels. Moreover, a PalmSens model PalmSens4 instrument is available. PalmSens4 is a USB powered Potentiostat, Galvanostat, and a Frequency Response Analyser (FRA) for Electrochemical Impedance Spectroscopy (EIS). The PalmSens4 has a large potential range (-5V to 5V or -10V to 10V) and current range (100 pA to 10 mA) with a high resolution and low noise. Multiple choice of reference and/or counter electrodes and custom made measuring set-ups is also available.</p> <p>http://zahner.de/products/electrochemical-workstation.html https://www.palmsens.com/product/palmsens4/</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Tadas Penkauskas +370 5 223 4390 tadas.penkauskas@bchi.vu.lt</p>
5.7.	Surface Plasmon Resonance	<p>Surface Plasmon Resonance Spectroscopy (Autolab, Twingle) - protein-Ligand association, proteins (peptides) interaction with phospholipids bilayers, biomolecules adsorption investigation. Major characteristics: baseline noise < 0.0001 degree. Refractive index interval from 1.30 to 1.55, Refractive index resolution 10^{-6}; Sensor material - BK-7; Dynamic range 4 degrees.</p> <p>https://keiint.com/page/our-products</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes</p>	<p>Dr. Tadas Ragaliauskas +370 5 223 4401 tadas.ragaliauskas@gmc.vu.lt</p>

		Personal user assistant available: yes	
5.8.	Thin Film Deposition System	<p>The KJLC PVD 75 is a magnetron sputter deposition tool for depositing conductive metallic films under pressure control. Major technical characteristics: chamber volume is 75 liters; sampler holder - 30 cm in diameter; magnetron target size (diameter) 50.8 mm with the deposition chimney; heating up to 350 °C; basic chamber pressure 2x10⁻⁷ Torr.</p> <p>https://www.lesker.com/newweb/vacuum_systems/deposition_systems_pvd_prolinepvd75.cfm</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Tadas Ragaliauskas +370 5 223 4401 tadas.ragaliauskas@gmc.vu.lt</p>
5.9.	Contact Angle Measuring System	<p>Contact angle measuring system (EasyDrop, Kruss) is used to measure the contact angle of a droplet contact with a solid surface. Major technical characteristics: contact angle measurements in 1-180 degree range. Angle resolution 0.1 degree. Positioning - mechanical.</p> <p>http://www.surfchem.co.kr/product/angle/easydrop_en.pdf</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: no Personal user assistant available: yes</p>	<p>Dr. Tadas Ragaliauskas +370 5 223 4401 tadas.ragaliauskas@gmc.vu.lt</p>
6.	CELL & MOLECULAR BIOLOGY		
6.1.	King Fisher Duo Magnetic Particle Processor for nucleic acid purification	<p>Automated DNA and RNA purification from up to 12 samples.</p> <p>https://assets.fishersci.com/TFS-Assets/LCD/Specification-Sheets/D02518~.pdf</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Rūta Navakauskienė +370 5 223 4409 ruta.navakauskiene@bchi.vu.lt</p> <p>Dr. Aida Vitkevičienė +370 5 223 4412 aida.vitkeviciene@gmc.vu.lt</p>

6.2.	BIO-RAD ChemiDoc XRS+ System with Image Lab Software	<p>Gel and blot imaging and analysis system, includes darkroom, UV transilluminator, epi-white illumination, camera.</p> <p>https://www.bio-rad.com/en-uk/sku/1708265-chemidoc-xrs-system-with-image-lab-software?ID=1708265</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Rūta Navakauskienė +370 5 223 4409 ruta.navakauskiene@bchi.vu.lt</p> <p>Dr. Aida Vitkevičienė +370 5 223 4412 aida.vitkeviciene@gmc.vu.lt</p>
6.3.	TECAN Infinite M200 plate reader	<p>Monochromator based absorbance reader. Absorbance detector: silicon photodiode; wavelength range: 230 – 1000 nm in 1nm steps; measurement range: 0-3 OD; shaking: linear, orbital; accommodates 6- to 384-well plates.</p> <p>https://lifesciences.tecan.com/plate_readers/infinite_200_pro</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Rūta Navakauskienė +370 5 223 4409 ruta.navakauskiene@bchi.vu.lt</p> <p>Dr. Aida Vitkevičienė +370 5 223 4412 aida.vitkeviciene@gmc.vu.lt</p>
6.4.	Partec CyFlow Space flow cytometry platform	<p>Up to 3 lasers (375 nm, 488 nm, 638 nm), automatic sample loading from 96 well plates, cell sorting</p> <p>https://us.sysmex-flowcytometry.com/instruments/cyflow-space/1390/cyflow-space</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Indrė Dalgėdienė +370 5 2239405 indre.dalgediene@bti.vu.lt</p> <p>Asta Lučiūnaitė asta.luciunaite@bti.vu.lt</p>
6.5.	ClonePix 2 automated system for screening and objective selection of high-value mammalian clones	<p>White light and fluorescence imaging of the colonies, picking from 6 well plates to 96 well plates</p>	<p>Indrė Dalgėdienė +370 5 2239405 indre.dalgediene@bti.vu.lt</p>

		<p>https://www.moleculardevices.com/products/clone-screening/mammalian-screening/clonepix-2-mammalian-colony-picker#gref</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Martynas Simanavičius +370 5 234 9406 martynas.simanavicius@bti.vu.lt</p> <p>Dr. Dovilė Stravinskienė +370 5 234 9404 dovile.stravinskiene@gmc.vu.lt</p>
6.6.	High definition mass spectrometer for proteomics	<p>Proteomics analysis starting from sample preparation by 1D and 2D electrophoresis as well as chromatography and subsequent mass spectrometry protein identification and quantitation. SYNAPT G2 high definition mass spectrometer (HDMS) system, Waters, coupled with nano-liquid chromatographer nanoACQUITY UPLC system, Waters, for large scale label-free differential proteomic analysis and identification of their PTMs</p> <p>https://www.waters.com/waters/en_US/SYNAPT-G2-Si-High-Definition-Mass-Spectrometry/nav.htm?cid=134740622&locale=en_US</p> <p>https://www.waters.com/waters/en_US/Original-UPLC-UHPLC-system-with-sub-2-micron-particle-technology-for-separations/nav.htm?locale=en_US&cid=514207</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Mindaugas Valius +370 5 223 4410 mindaugas.valius@bchi.vu.lt</p> <p>Dr. Algirdas Kaupinis +370 5 223 4411 algirdas.kaupinis@gf.vu.lt</p>
7.	ANIMAL LABORATORY		
7.1.	Laboratory animal facility	<p>The facility is designed with key components for animal laboratory, including small laboratory animals holding rooms for mice, rats and rabbits, procedure room, sterile operating room (equipped with operating table and surgical lighting, breathing apparatus Inspira ASV, electrosurgical generator (surgical blade) Aaron 950, a pulse oximeter LifeSenseVet, an</p>	<p>Dr. Virginija Bukelskienė +370 5 223 4408 virginija.bukelskiene@bchi.vu.lt</p>

		<p>ultrasound system Hitachi EUB 7000, hematology analyser Exigo EOS, etc.) and all other necessary animal laboratory areas.</p> <p>https://www.harvardapparatus.com/media/harvard/pdf/Inspira_557058_9.pdf https://pdf.medicalexpo.com/pdf/bovie-medical/aaron-950/67895-64013.html https://www.nonin.com/products/lifesense-vet/ https://www.medwrench.com/documents/view/13617/hitachi-medical-systems-eub-7000hv-7000-hv-brochure-pdf https://labtronic.eu/produkt/gematologischeskiy-analizator-exigo</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	
8.	COMPUTATIONAL RESOURCES AND DATABASES		
8.1.	High performance computer cluster (HPC)	<p>HPC cluster contains 76 computing nodes with total 1772 cpu cores (without hyper-threading) and 8500 GB of RAM. All parts of cluster are connected to master node and 2 storage arrays (20 TB + 40 TB) via OmniPath 100Gb technology which generates around 77 TFLOPS of computing power (System administrator: Rytis Dičiūnas)</p> <p>On-site training available: no Qualified users only are permitted to operate this equipment: yes Personal user assistant available: no</p>	<p>Dr. Česlovas Venclovas +370 5 223 4368 ceslovas.venclovas@bti.vu.lt</p>
8.2.	COD database and high availability computer cluster	<p>Multiport data storage unit with two redundant Web server nodes.</p> <p>http://www.hp.com/hpinfo/newsroom/press_kits/2014/ComputeEra/HP_ProLiantDL160Gen9_DataSheet.pdf</p> <p>On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes</p>	<p>Dr. Saulius Gražulis +370 5 223 4353 saulius.grazulis@bti.vu.lt</p>

8.3.	SOLSA SMP multicore (super)computer	240 CPU, shared memory 1.1T System datasheet: http://itamindia.com/wp-content/uploads/2017/09/SGI-UV-20-Servers.pdf Certification notes: https://access.redhat.com/articles/42548 On-site training available: yes Qualified users only are permitted to operate this equipment: yes Personal user assistant available: yes	Dr. Saulius Gražulis +370 5 223 4353 saulius.grazulis@bti.vu.lt
------	--	--	---